

1206K KOYO 30x62x16mm
Harmonized Tariff Code
8482.10.50.68 Self aligning
ball bearings

Bearing number	1206K
Size (mm)	30x62x16
Brand	KOYO
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	16
d	30 mm
D	62 mm
B	16 mm
C	16 mm
r min.	1 mm
da min.	35 mm
Da max.	57 mm
ra max.	1 mm
Weight	0.216 Kg
Basic dynamic load rating (C)	15.6 kN
Basic static load rating (C0)	4.65 kN
(Grease) Lubrication Speed	9900 r/min
(Oil) Lubrication Speed	12000 r/min
Calculation factor (e)	0.25

Calculation factor (Y0)	2.67
Calculation factor (Y1)	2.55
Category	Self Aligning Ball Bearings
BDI Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.233
EAN	0605790000973
Product Group – BDI	B00152
Mounting Method	Tapered Adapter
Enclosure	Open
Rolling Element	Ball Bearing
Adapter Sleeve	H-206X
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 2.5 Deg 1:12 Taper
Long Description	30MM Bore; Tapered Adapter Mount; 62MM Outside Diameter; 16MM Inner Race Width; 16MM Outer Race Width; Open; Steel Cage; Double Row of Balls; ABEC 1 ISO P0; C0-Medium
Inch – Metric	Metric
Category – BDI	Self Aligning Ball Bearings
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Self Aligning

Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	1206K
Weight / LBS	0.4762
Outside Diameter	2.441 Inch 62 Millimeter
Inner Race Width	0.63 Inch 16 Millimeter
Outer Race Width	0.63 Inch 16 Millimeter
Bore	1.181 Inch 30 Millimeter