

1302 NACHI Number of Rows of Balls Double Row 15x42x13mm Self aligning ball bearings

| | |
|-------------------------------|-------------|
| Bearing number | 1302 |
| Size (mm) | 15x42x13 |
| Brand | NACHI |
| Bore Diameter (mm) | 15 |
| Outer Diameter (mm) | 42 |
| Width (mm) | 13 |
| d | 15 mm |
| D | 42 mm |
| B | 13 mm |
| C | 13 mm |
| r1 min. | 1 mm |
| da min. | 20 mm |
| Da max. | 37 mm |
| ra max. | 1.0 mm |
| Weight | 0.094 Kg |
| Basic dynamic load rating (C) | 9.55 kN |
| Basic static load rating (C0) | 2.3 kN |
| (Grease) Lubrication Speed | 16000 r/min |
| (Oil) Lubrication Speed | 20000 r/min |
| Calculation factor (e) | 0.34 |
| Calculation factor (Y0) | 1.95 |
| Calculation factor (Y1) | 1.86 |

| | |
|-------------------------|--|
| Category | Self Aligning Ball Bearings |
| BDI Inventory | 0.0 |
| Manufacturer Name | NACHI |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0 |
| Product Group – BDI | B00152 |
| Mounting Method | Shaft |
| Enclosure | Open |
| Rolling Element | Ball Bearing |
| Cage Material | Steel |
| Precision Class | ABEC 1 ISO P0 |
| Internal Clearance | C0-Medium |
| Number of Rows of Balls | Double Row |
| Other Features | Allowable Misalignment 3 Deg |
| Long Description | 15MM Bore; Shaft Mount; 42MM Outside Diameter; 13MM Inner Race Width; 13MM Outer Race Width; Open; Steel Cage; Double Row of Balls; ABEC 1 ISO P0; C0-Medium |
| Inch – Metric | Metric |
| Category – BDI | Self Aligning Ball Bearings |
| UNSPSC | 31171532 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Self Aligning |
| Manufacturer URL | http://www.nachi.com |
| Weight / LBS | 0.20723 |
| Outer Race Width | 0.512 Inch 13 Millimeter |
| Bore | 0.591 Inch 15 Millimeter |
| Outside Diameter | 1.654 Inch 42 Millimeter |

| | |
|------------------|----------------------------|
| Inner Race Width | 0.512 Inch 13 Millimeter |
|------------------|----------------------------|