

23026EMKW33 SNR Max operating temperature, Tmax 200 °C 130x200x52mm Thrust roller bearings

B	52 mm
D1	182.6 mm
rs min	2 mm
Number of lubrication holes	3
b	8.9 mm
k	4 mm
Associated sleeve reference	H3026
e	0.22
Y1	3.01
Y2	4.48
Y0	2.94
Radial clearance class	CN
Mass	5.7 kg
Dynamic load, C	565 kN
Static load, C0	721 kN
Fatigue limit load, Cu	63.4 kN
Nref	3.000 rpm
Nlim	3.600 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	200 °C
Characteristic cage frequency, FTF	0.44 Hz
Characteristic rolling element frequency, BSF	8.47 Hz

Characteristic outer ring frequency, BPF0	10.62 Hz
Characteristic inner ring frequency, BRFI	13.38 Hz
da min	138.8 mm
Da max	191.2 mm
ra max	2 mm
Bearing number	23026EMKW33
Size (mm)	130x200x52
Brand	SNR
Bore Diameter (mm)	130.000
Outer Diameter (mm)	200.000
Width (mm)	52.000
d	130.000 mm
D	200.000 mm
H	52.000 mm