

2925 INA D 165 mm 125x165x27mm Thrust ball bearings

| | |
|---------------------|--------------------------------------------|
| Bearing number | 2925 |
| Size (mm) | 125x165x27 |
| Brand | INA |
| Bore Diameter (mm) | 125 |
| Outer Diameter (mm) | 165 |
| Width (mm) | 27 |
| d | 4.921 inch |
| d | 125 mm |
| D | 6.496 inch |
| D | 165 mm |
| T | 1.063 inch |
| T | 27 mm |
| D ₁ | 125.197 mm |
| D ₁ | 4.929 inch |
| m | 3.594 lbs / Weight |
| m | 1.63 kg / Weight |
| C _a | 19800 lbf / Dynamic load rating (axial) |
| C _a | 88000 N / Dynamic load rating (axial) |
| C _{0a} | 65000 lbf / Static load rating (axial) |
| C _{0a} | 290000 N / Static load rating (axial) |
| Category | Thrust Ball Bearing |
| BDI Inventory | 0.0 |

| | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 1.954 |
| EAN | 4012802125948 |
| Product Group – BDI | B00308 |
| Rolling Element | Ball Bearing |
| Thrust Bearing | Yes |
| Single or Double Direction | Single Direction |
| Banded | No |
| Cage Material | Steel |
| Precision Class | ABEC 1 ISO P0 |
| Component Description | Roller Assembly Plus Raceways |
| Other Features | Single Row Deep Groove Light Cross Section Grooved Race Separable 3 Piece Ball |
| Long Description | 125MM Bore 1; 125.197MM Bore 2; 165MM Outside Diameter; 27MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision |
| Inch – Metric | Metric |
| Category – BDI | Thrust Ball Bearings |
| UNSPSC | 31171507 |
| Harmonized Tariff Code | 8482.10.50.08 |
| Noun | Bearing |
| Keyword String | Ball Thrust |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | 2925HLG |
| Weight / LBS | 3.594 |

| | |
|----------------------------------------|---------------------------------|
| Outside Diameter | 6.496 Inch 165 Millimeter |
| Bore 1 | 4.921 Inch 125 Millimeter |
| Height | 1.063 Inch 27 Millimeter |
| Overall Height with Aligning Washer | 0 Inch 0 Millimeter |
| Bore 2 | 4.929 Inch 125.197 Millimeter |