

51126 NTN 130x170x30mm maximum rpm: 1900 rpm Thrust ball bearings

Bearing number	51126
Size (mm)	130x170x30
Brand	NTN
Bore Diameter (mm)	130
Outer Diameter (mm)	170
Width (mm)	30
d	130 mm
D	170 mm
T	30 mm
d1	170 mm
r min.	1 mm
D1	132 mm
da min.	154 mm
Da max.	146 mm
ra max.	1 mm
Weight	1.73 Kg
Basic dynamic load rating (C)	104 kN
Basic static load rating (C0)	350 kN
(Grease) Lubrication Speed	1 300 r/min
Category	Thrust Ball Bearing
BDI Inventory	0.0
Manufacturer Name	NTN

Minimum Buy Quantity	N/A
Weight / Kilogram	1.642
EAN	4547359306231
Product Group – BDI	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	130MM Bore 1; 132MM Bore 2; 170MM Outside Diameter; 30MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch – Metric	Metric
Category – BDI	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	51126
Weight / LBS	3.814
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	5.118 Inch 130 Millimeter

Height	1.181 Inch 30 Millimeter
Bore 2	5.197 Inch 132 Millimeter
Outside Diameter	6.693 Inch 170 Millimeter
bore diameter:	130 mm
dynamic load capacity:	104000 N
outside diameter:	170 mm
operating temperature range:	-40 to 120 °C
overall width:	30 mm
maximum rpm:	1900 rpm
thrust bearing type:	Single-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Steel
separable or banded:	Separable
fillet radius:	1 mm
precision rating:	ISO Class 0
series:	511
static load capacity:	350000 N
manufacturer product page:	Click here