

AST AST090 21060 plain bearings

High Quality AST AST090 21060 plain bearings. 110x240x80 Size (mm) Competitive Pricing. Accept Small Order. Easy and Fast Shipping.

| | |
|-------------------------------|------------|
| Size (mm) | 110x240x80 |
| Bore Diameter (mm) | 110 |
| Outer Diameter (mm) | 240 |
| Width (mm) | 80 |
| d | 110 mm |
| D | 240 mm |
| B | 80 mm |
| C | 80 mm |
| r min. | 3 mm |
| da min. | 124 mm |
| da max | 145 mm |
| Da min | 206 mm |
| Da max. | 226 mm |
| ra max. | 2,5 mm |
| Weight | 17,6 Kg |
| Basic dynamic load rating (C) | 825 kN |
| Basic static load rating (C0) | 1120 kN |
| (Grease) Lubrication Speed | 1700 r/min |
| (Oil) Lubrication Speed | 2200 r/min |
| Calculation factor (e) | 0,33 |
| Calculation factor (Y0) | 2 |
| Calculation factor (Y2) | 3,1 |

| | |
|---------------------------|--|
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 18 |
| EAN | 0029176416316 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Shaft Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Straight |
| Cage Material | Steel |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | Not Applicable |
| Inch – Metric | Metric |
| Long Description | 110MM Straight Bore; 240MM Outside Diameter; 80MM Width; C0-Medium Clearance; Shaft Mount; Double Ro |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer Item Number | 22322EAE4 |
| Weight / LBS | 18 |
| Outside Diameter | 9.449 Inch 240 Millimeter |
| Bore | 4.331 Inch 110 Millimeter |
| Adapter Part Number | Not Applicable Inch Not Applicable Millimeter |

| | |
|------------------------|-------------------------------------|
| Width | 3.15 Inch 80 Millimeter |
| bore diameter: | 110 mm |
| closure type: | Open |
| outside diameter: | 240 mm |
| lubrication hole type: | Oil Grooves And Holes In Outer Ring |
| overall width: | 80 mm |
| cage material: | Steel |
| bore type: | Straight |
| application: | General Machinery |
| outer ring type: | Not Split |
| series: | Spherical Roller 223 Series |
| internal clearance: | C0 |