

# AST AST090 21060 plain bearings

High Quality AST AST090 21060 plain bearings. 110x240x80 Size (mm) Competitive Pricing. Accept Small Order. Easy and Fast Shipping.

Size (mm)	110x240x80
Bore Diameter (mm)	110
Outer Diameter (mm)	240
Width (mm)	80
d	110 mm
D	240 mm
B	80 mm
C	80 mm
r min.	3 mm
da min.	124 mm
da max	145 mm
Da min	206 mm
Da max.	226 mm
ra max.	2,5 mm
Weight	17,6 Kg
Basic dynamic load rating (C)	825 kN
Basic static load rating (C0)	1120 kN
(Grease) Lubrication Speed	1700 r/min
(Oil) Lubrication Speed	2200 r/min
Calculation factor (e)	0,33
Calculation factor (Y0)	2
Calculation factor (Y2)	3,1

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	18
EAN	0029176416316
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch – Metric	Metric
Long Description	110MM Straight Bore; 240MM Outside Diameter; 80MM Width; C0-Medium Clearance; Shaft Mount; Double Ro
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	22322EAE4
Weight / LBS	18
Outside Diameter	9.449 Inch   240 Millimeter
Bore	4.331 Inch   110 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter

Width	3.15 Inch   80 Millimeter
bore diameter:	110 mm
closure type:	Open
outside diameter:	240 mm
lubrication hole type:	Oil Grooves And Holes In Outer Ring
overall width:	80 mm
cage material:	Steel
bore type:	Straight
application:	General Machinery
outer ring type:	Not Split
series:	Spherical Roller 223 Series
internal clearance:	C0