AST AST50 88IB60 plain bearings

How 0.0 Inventory do I place an EMERGENCY order for a AST AST50 88IB60 plain bearings NTN Manufacturer Name that N/A Minimum Buy Quantity I want to pick up at a our store?

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.199
EAN	4547359080612
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	33/64 Inch
Relubricatable	Yes
Insert Part Number	A-JEL207-107D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch — Metric	Inch
Long Description	2 Bolt Flange Block; 1-7/16" Bore; 5.1" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Sol

Single Row Narrow Inner Race Has Trash Guard With Set Screw UNSPSC 31171501 Harmonized Tariff Code 8483.20.40.40 Noun Bearing Keyword String Flanged Manufacturer Item Number JELFLU-1.7/16 Weight / LBS 0.44 d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing Millimeter Cartridge Pilot Depth 0 Inch 0 Millimeter Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter 0 Inch 0 Millimeter bore diameter: 1.4375 in expansion type: Non-Expansion Bearing (Fixed) bolt center-to-center length: 5.1250 in
Harmonized Tariff Code Noun Bearing Keyword String Flanged Manufacturer Item Number JELFLU-1.7/16 Weight / LBS 0.44 d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing 5.125 Inch 130.18 Millimeter Cartridge Pilot Depth Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter Cartridge Pilot Diameter D Inch 0 Millimeter 5.1 Inch 130 Millimeter D Inch 0 Millimeter Cartridge Pilot Diameter D Inch 0 Millimeter
Noun Keyword String Flanged Manufacturer Item Number JELFLU-1.7/16 Weight / LBS 0.44 d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing Solution 130.18 Millimeter Cartridge Pilot Depth Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter Cartridge Pilot Diameter D Inch 130 Millimeter Solution 130 Millimeter To Inch 130 Millimeter Dore diameter: Dore diameter: Dore diameter: Dore Diameter Non-Expansion Bearing (Fixed)
Keyword String Manufacturer Item Number JELFLU-1.7/16 Weight / LBS 0.44 d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing Solution Solut
Manufacturer Item Number Weight / LBS 0.44 d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing 5.125 Inch 130.18 Millimeter Cartridge Pilot Depth 0 Inch 0 Millimeter Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter Cartridge Pilot Diameter Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter 1.4375 in expansion type: Non-Expansion Bearing (Fixed)
Weight / LBS d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing 5.125 Inch 130.18 Millimeter Cartridge Pilot Depth 0 Inch 0 Millimeter Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter O Inch 130 Millimeter 1.4375 in expansion type: Non-Expansion Bearing (Fixed)
d 1.438 Inch 36.525 Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing 5.125 Inch 130.18 Millimeter Cartridge Pilot Depth 0 Inch 0 Millimeter Nominal Bolt Circle Diameter Round 5.1 Inch 130 Millimeter Cartridge Pilot Diameter 0 Inch 0 Millimeter bore diameter: 1.4375 in expansion type: Non-Expansion Bearing (Fixed)
Millimeter D 1.531 Inch 38.9 Millimeter Bolt Spacing 5.125 Inch 130.18 Millimeter Cartridge Pilot Depth 0 Inch 0 Millimeter Nominal Bolt Circle Diameter Round 5.1 Inch 130 Millimeter Cartridge Pilot Diameter 0 Inch 0 Millimeter bore diameter: 1.4375 in expansion type: Non-Expansion Bearing (Fixed)
Bolt Spacing 5.125 Inch 130.18 Millimeter Cartridge Pilot Depth Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter O Inch 130 Millimeter 5.1 Inch 130 Millimeter O Inch 0 Millimeter bore diameter: 1.4375 in expansion type: Non-Expansion Bearing (Fixed)
Cartridge Pilot Depth Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter O Inch 0 Millimeter 5.1 Inch 130 Millimeter O Inch 0 Millimeter Inch 130 Millimeter O Inch 0 Millimeter Inch 130 Millimeter Inc
Nominal Bolt Circle Diameter Round Cartridge Pilot Diameter bore diameter: expansion type: 5.1 Inch 130 Millimeter Inch 0 Millimeter 1.4375 in Non-Expansion Bearing (Fixed)
Round Cartridge Pilot Diameter bore diameter: expansion type: 5.1 Inch 130 Millimeter 0 Inch 0 Millimeter 1.4375 in Non-Expansion Bearing (Fixed)
bore diameter: expansion type: Non-Expansion Bearing (Fixed)
expansion type: Non-Expansion Bearing (Fixed)
holt contor to contor longth. 5 1250 in
bott center-to-center tength. 3.1230 in
seal type: Contact Seal
overall length/diameter: 6.1563 in
length through bore: 1-63/64 in
bore type: Round
finish/coating: Uncoated
duty type: Intermediate Duty
lubrication type: Lubrication Fitting
mounting type: Two-Bolt Flange
series: JELFLU

housing material:	Cast Iron
standards met:	ISO, AFBMA
locking device:	Eccentric Collar
replacement bearing:	A-JEL207-107D1