

# AST AST650 405030 plain bearings

AST AST650 405030 plain bearings 25x52x22 Size (mm) Product Brochures 25 Bore Diameter (mm) , 52 Outer Diameter (mm) Manufacturing Service . Get Your Free.

Size (mm)	25x52x22
Bore Diameter (mm)	25
Outer Diameter (mm)	52
Width (mm)	22
d	25 mm
D	52 mm
T	22 mm
b	6 mm
d1	52 mm
r min.	1 mm
A	21 mm
D1	27 mm
D2	38 mm
D3	55 mm
R	45 mm
da min.	41 mm
Da max.	36 mm
ra max.	1 mm
Weight	0,224 Kg
Basic dynamic load rating (C)	36 kN
Basic static load rating (C0)	61,5 kN
(Grease) Lubrication Speed	3200 r/min

SRI	5.15
hidYobi	53305U
LangID	1
D_	52
SREX	0.04
C	36
B_	22
hidTable	ecat_NSSDTB
Oil rpm	5000
SRE	5.15
mass	0.224
GRS rpm	3200
ra	1
SRIX	0.04
T4	22
D_3	55
D_a	36
SRIN	0
C0	61.5
D_2	38
SREN	0
D_1	27
Prod_Type3	TB_SD_WASW
da	41
DA_	9.525
Z_	11
yobi	53305U
A_	21
T3	19.8

SDM_	38.5
r	1
KBRG	5131
R_	45