

AST ASTEPB 3539-25 plain bearings

AST ASTEPB 3539-25 plain bearings Engineering 380x180x75 Size (mm) 380 Bore Diameter (mm) Calculator , Manufacturing Service 180 Outer Diameter (mm) . Get Your Free.

Size (mm)	380x180x75
Bore Diameter (mm)	380
Outer Diameter (mm)	180
Width (mm)	75
d	180 mm
D	380 mm
B	75 mm
d1	244.6 mm
D1	314.2 mm
r1,2 – min.	4 mm
da – min.	197 mm
Da – max.	363 mm
ra – max.	3 mm
Basic dynamic load rating – C	351 kN
Basic static load rating – C0	405 kN
Fatigue load limit – Pu	10.4 kN
Reference speed	3600 r/min
Limiting speed	2200 r/min
Calculation factor – kr	0.03
Calculation factor – f0	13.9
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	180MM Bore; 380MM Outside Diameter; 75MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No F
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	36.5
Bore	7.087 Inch 180 Millimeter
Outer Race Width	2.953 Inch 75 Millimeter
Outside Diameter	14.961 Inch 380 Millimeter
Inner Race Width	0 Inch 0 Millimeter
d1 ≈	244.6 mm
D1 ≈	314.2 mm
r1,2 min.	4 mm
da min.	197 mm

Da max.	363 mm
ra max.	3 mm
Basic dynamic load rating C	351 kN
Basic static load rating C0	405 kN
Fatigue load limit Pu	10.4 kN
Calculation factor kr	0.03
Calculation factor f0	13.9
Mass bearing	36.6 kg