

AST ASTT90 F5050 plain bearings

LET OUR AST ASTT90 F5050 plain bearings EXPERTS GET YOU THE 85x150x28 Size (mm) PARTS YOU NEED.

Size (mm)	85x150x28
Bore Diameter (mm)	85
Outer Diameter (mm)	150
Width (mm)	28
d	85 mm
Fw	100,5 mm
D	150 mm
B	28 mm
C	28 mm
r min.	2 mm
r1 min.	2 mm
da min.	94 mm
Da max.	141 mm
db max.	98 mm
db min	94 mm
ra max.	2 mm
rb max.	2 mm
S	1,3 mm
Db max	141 mm
Weight	2,11 Kg
Basic dynamic load rating (C)	167 kN
Basic static load rating (C0)	199 kN
(Grease) Lubrication Speed	4300 r/min

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.9
EAN	0029176763304
Product Group	B04144
hidYobi	NJ217EM
LangID	1
D_	150
Macha rpm	7500
B_	28
hidTable	ecat_NSCLDR
Oil rpm	5000
rb	2
mass	2.14
GRS rpm	4300
ra	2
db max	98
TSR rpm	4800
C0	199
DE_	136.5
Prod_Type3	CRB_SR_NJ
da	94
DA_	18
Z_	17
D_a max	141
yobi	NJ217EM
dd min	110
C_conv	167000

ALPHA_	0
SDM_	118.5
r	2
dc min	104
KBRG	4155
SBRG	2
r1	2
DI_	100.5