

AST H71932AC/HQ1 angular contact ball bearings

High SKF Manufacturer Name N/A Minimum Buy Quantity Quality AST H71932AC/HQ1 angular contact ball bearings. Competitive 0.0 Inventory Pricing. Accept Small Order. Easy and Fast Shipping.

| | |
|---------------------------|---|
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 4.554 |
| EAN | 7316577025548 |
| Product Group | M06288 |
| Number of Mounting Holes | 2 |
| Mounting Method | Concentric Collar |
| Housing Style | 2 Bolt Pillow Block |
| Rolling Element | Spherical Roller Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Expansion |
| Mounting Bolts | 5/8 Inch |
| Relubricatable | Yes |
| Insert Part Number | 22210 |
| Seals | Labyrinth |
| Housing Configuration | 1 Piece Solid |
| Inch – Metric | Inch |
| Other Features | Double Row Heavy Duty Open End With Set Screw |

| | |
|--------------------------------|--|
| Long Description | 2 Bolt Pillow Block; 1-15/16" Bore; 2-1/4" Base to Center Height; Concentric Collar Mount; |
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.80 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Manufacturer Item Number | SYR 1.15/16-18 |
| Weight / LBS | 9.2 |
| D | 2.875 Inch 73.02 Millimeter |
| d | 1.938 Inch 49.225 Millimeter |
| Bolt Spacing Minimum | 5.938 Inch 150.825Millimeter |
| Actual Bolt Center to Center | 0 Inch 0Millimeter |
| Bolt Spacing Maximum | 6.563 Inch 166.7Millimeter |
| B | 2.25 Inch 57.15 Millimeter |
| Nominal Bolt Center to Center | 6.3 Inch 160 Millimeter |
| bore diameter: | 1.9375 in |
| finish/coating: | Blue Alkyd/Acryl Paint (RAL 5007) |
| overall length: | 8.3750 in |
| overall width: | 2.3125 in |
| overall height: | 4.6406 in |
| seal type: | Labyrinth Seal |
| mounting: | Two-Bolt Base |
| base height: | 10.3750 in |
| bearing type: | Spherical Roller |
| maximum operating temperature: | Max 210 °F |
| bore type: | Round |

| | |
|----------------------------|------------------------------|
| maximum rpm: | 5000 rpm |
| housing construction: | Solid Pillow Block |
| lubrication type: | None |
| base to bore centerline: | 2.2500 in |
| bolt size: | 0.6250 in |
| housing material: | Cast Iron |
| series: | SYR |
| locking device: | Concentric Collar |
| weight: | 9.15 lbs |
| bearing material: | Cast Iron |
| manufacturer product page: | Click here |
| expansion type: | Expansion Bearing (Floating) |
| manufacturer upc number: | 7316577025548 |