

AST HK2010 needle roller bearings

How 120x260x68 Size (mm) 260 Outer Diameter (mm) do I place an EMERGENCY order for a AST HK2010 needle roller bearings that I want to pick up at a our store?

Size (mm)	120x260x68
Bore Diameter (mm)	120
Outer Diameter (mm)	260
Width (mm)	68
d	120 mm
D	260 mm
T	68 mm
B	62 mm
C	42 mm
a	81,6 mm
r min.	4 mm
r1 min.	3 mm
da min.	156 mm
Da min	206 mm
Da max.	246 mm
db max.	148 mm
Db min.	244 mm
ra max.	3 mm
rb max.	2,5 mm
Weight	15,6 Kg
Basic dynamic load rating (C)	560 kN
Basic static load rating (C0)	730 kN

(Grease) Lubrication Speed	1300 r/min
(Oil) Lubrication Speed	1800 r/min
Calculation factor (e)	0,83
Calculation factor (Y0)	0,4
LangID	1
outer r	3
D_	260
TC-BET22	30
TC-BET21	8
TC-BET23	0
inner r	4
mass	15.6
GRS rpm	1300
D_b	244
Cr	57000
TC-RA	250.5
DE_	220.122
T-ALP23	18
db	148
T-ALP22	37
Prod_Type3	TRBSR_MD_A
da	156
T-ALP21	57
Iso	7GB
ALPHA_	28.811
SDM_	189.336
SBRG	13
D_a2	206
hidYobi	HR31324J

Y1	0.73
D_a1	246
B_	62
hidTable	ecat_NSTPRM
Oil rpm	1800
C0r	74500
Y0	0.4
TC-SLR	44
inner ra	3
outer rb	2.5
C0	730
Sa	9
Sb	26
e	0.83
DA_	33.903
Z_	16
C_	42
yobi	HR31324J
TC-DA1	37.115
TC-DA2	30.691
KBRG	3111
DI_	158.549