

# AST SRW144-TT deep groove ball bearings

170 Million 65,000 Bore Diameter (mm) used AST SRW144-TT deep groove ball bearings instantly searchable. Shop our large selection of parts based on brand, 65x140x58.700 Size (mm) price, description, and location. Order the with stock ...

Size (mm)	65x140x58.700
Bore Diameter (mm)	65,000
Outer Diameter (mm)	140,000
Width (mm)	58,700
d	65,000 mm
D	140,000 mm
B	58,700 mm
C	58,700 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359583403
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel

Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	65MM Bore; 140MM Outside Diameter; 58.72MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0;
Other Features	Deep Groove   Cartridge Type   Non-Friction Nitrile Rubber Seal   Shell Alvania Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	8.17
Outside Diameter	5.512 Inch   140 Millimeter
Outer Race Width	2.312 Inch   58.72 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Bore	2.559 Inch   65 Millimeter
bore diameter:	65 mm
precision rating:	ISO Class 0
outside diameter:	140 mm
finish/coating:	Uncoated
overall width:	58.7 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	58.70 mm

row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	58.70 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	4900 rpm
internal clearance:	CN
fillet radius:	2.1 mm
operating temperature range:	-40 to 120 °C
series:	633
dynamic load capacity:	92500 N
manufacturer product page:	<a href="#">Click here</a>
static load capacity:	60000 N