

Better Shock Resistance and Higher Speed Slewing Drive Hse12 for Turntable

100% Authentic. 6 RoHS Better Shock Resistance and Higher Speed Slewing Drive Hse12 for Turntable Highest Quality. Stainless Steel Inner/Outer Ring Material Certified Supplier. Quote Days to Ship

Days to Ship	Quote
RoHS	6
Inner/Outer Ring Material	Stainless Steel
Bearing Style	Double Shielded
Outer Ring Shape	Flat
Precision	Grade 0
I.D.(Ø)	60
O.D.(Ø)	110
Width(mm)	22
Basic Dynamic Load Rating(N)	52500
Max. Allowed rpm(rpm)	5600
Rolling Element Material	Stainless Steel
Retainer Type	Punching
Basic Load Rating, Static Rating(N)	36000
Clearance sign	CN (standard)
Accuracy(Class)	Class 0
Acoustic Symbol	No
Holder Symbol	No
Symbol of Bearing Ring Shape	No
Seal, Shield Symbols	ZZ

Precision Grade Symbol	No
Special Configurations Code	No
Rubugado Symbol	No
Material Symbol	No
Spacer, Sleeve symbol	H
Types	No
Type	Ball
Specifications, Environment	Standard
Load Direction	Radial
Outer Ring	With Outer Ring
Number of Raceway Ring Rows	Single Row
Size Standards	Metric System
Combination symbol	No
Low Torque Specification	No
Internal Symbol	No
Torque Symbol	No