

Daewoo Excavator 300-V Turntable Slewing Ring /Q Brand with Lr Certificate

offers a Daewoo Excavator 300-V Turntable Slewing Ring /Q Brand with Lr Certificate 19000 Series 19143 Cone Part Number 19268-B Cup Part Number selection of Genuine at Wholesale Prices. We are a Daewoo Excavator 300-V Turntable Slewing Ring /Q Brand with Lr Certificate Certified Parts Retailer

| | |
|--------------------------------------|---------------|
| Series | 19000 |
| Cone Part Number | 19143 |
| Cup Part Number | 19268-B |
| Design Units | Imperial |
| Bearing Weight | 1 lb |
| Cage Type | Stamped Steel |
| d | 1.4375 in |
| D | 2.6875 in |
| D1 – Flange Outer Diameter | 2.8397 in |
| B – Cone Width | 0.6504 in |
| C – Cup Width | 0.4688 in |
| C1 – Cup Flange Width | 0.1406 in |
| T1 – Bearing Width | 0.625 in |
| T – Bearing Width to Flange | 0.2968 in |
| R – Cone Backface To Clear Radius1 | 0.06 in |
| r – Cup Backface To Clear Radius2 | 0.06 in |
| da – Cone Frontface Backing Diameter | 1.63 in |
| db – Cone Backface Backing Diameter | 1.73 in |
| Da – Cup Frontface Backing Diameter | 2.68 in |

| | |
|--|-----------|
| Ab – Cage-Cone Frontface Clearance | 0.09 in |
| Aa – Cage-Cone Backface Clearance | 0.03 in |
| a – Effective Center Location ³ | -0.06 in |
| C ₉₀ – Dynamic Radial Rating (90 million revolutions) ⁴ | 2960 lbf |
| C ₁ – Dynamic Radial Rating (1 million revolutions) ⁵ | 11400 lbf |
| C ₀ – Static Radial Rating | 13000 lbf |
| Ca ₉₀ – Dynamic Thrust Rating (90 million revolutions) ⁶ | 2250 lbf |
| K – Factor ⁷ | 1.31 |
| e – ISO Factor ⁸ | 0.44 |
| Y – ISO Factor ⁹ | 1.35 |
| G ₁ – Heat Generation Factor (Roller-Raceway) ¹⁰ | 17.5 |
| G ₂ – Heat Generation Factor (Rib-Roller End) | 11.5 |
| C _g – Geometry Factor ¹¹ | 0.0694 |