

Excavator Jcb Js130 Swing Circle, Slewing Bearing, Slewing Ring

Excavator Jcb Js130 Swing Circle, Slewing Bearing, Slewing Ring Manufacturers , Online 120x260x90.5 Size (mm) Wholesale Suppliers ! 260 Outer Diameter (mm)

Size (mm)	120x260x90.5
Bore Diameter (mm)	120
Outer Diameter (mm)	260
Width (mm)	90,5
d	120 mm
D	260 mm
T	90,5 mm
B	86 mm
C	69 mm
ra1 max.	2,5 mm
a	61,5 mm
r min.	4 mm
r1 min.	3 mm
da min.	138 mm
Da min	213 mm
Da max.	246 mm
db max.	145 mm
Db min.	239 mm
ra max.	3 mm
Sa	6 mm

Sb	21,5 mm
Weight	22,4 Kg
Basic dynamic load rating (C)	815 kN
Basic static load rating (C0)	1 130 kN
(Grease) Lubrication Speed	1 500 r/min
(Oil) Lubrication Speed	2 000 r/min
Calculation factor (e)	0,35
Calculation factor (Y0)	0,96
rs min	3 mm
r1s min	2.5 mm
e	0.35
Y2	1.74
Y0	0.96
Mass	22.4 kg
ISO 355 reference	T2GD120
Dynamic load, C	815 kN
Rating life coefficient, A2	1
Static load, C0	1,130 kN
Nlim (oil)	2,000 rpm
Nlim (grease)	1,500 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
da max	138 mm
db min	145 mm
Da max	246 mm
Db min	239 mm
ra max	3 mm
r1a max	2.5 mm
Inventory	0.0

Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359529739
Product Group	B04334