

FAG 2306-K-TVH-C3 self aligning ball bearings

Online shopping FAG 2306-K-TVH-C3 self aligning ball bearings 25.400 Bore Diameter (mm) from a great 31.750 Outer Diameter (mm) selection at 25.400×31.750×25.40 Size (mm) Store. ... Accessories.

Size (mm)	25.400×31.750×25.40
Bore Diameter (mm)	25.400
Outer Diameter (mm)	31.750
Width (mm)	25.40
Fw	25.400 mm
D	31.750 mm
C	25.40 mm
Weight	0.035 Kg
Basic dynamic load rating (C)	24.95 kN
Basic static load rating (C0)	43.41 kN
(Grease) Lubrication Speed	8400 r/min
Inventory	6.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.035
EAN	0060579019117
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring – No Inner Ring
Enclosure	Open

Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch – Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1" Bore; 1-1/4" Outside Diameter; 1" Width; Needle Roller Bearing; Roller Assembly wi
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	J-1616
Weight / LBS	0.077
Bore	1 Inch 25.4 Millimeter
Outside Diameter	1.25 Inch 31.75 Millimeter
Width	1 Inch 25.4 Millimeter
Bearing No.	J-1616
Y(max)	1.02
Cr	24.95
C0r	43.41
Cu	6.75
Grease lub.	8400
Oil lub.	13000

(Refer.)Mass(kg)	0.035
Mounting inner ring	IR-1216(1)