

FAG 23268-B-K-MB+AH3268G spherical roller bearings

What are 0.0 Inventory N/A Minimum Buy Quantity the dimensions of a FAG 23268-B-K-MB+AH3268G spherical roller bearings? Manufacturing Service . NTN Manufacturer Name Get Your Free, Instant Quote

| | |
|---------------------------|------------------------|
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight | 0.026 |
| EAN | 4547359018066 |
| Product Group | M06110 |
| Number of Mounting Holes | 2 |
| Mounting Method | Set Screw |
| Housing Style | 2 Bolt Flange Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 43/64 Inch |
| Relubricatable | Yes |
| Insert Part Number | A-AR210-115D1 |
| Seals | Single Lip Land Riding |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch – Metric | Inch |

| | |
|---------------------------------------|--|
| Long Description | 2 Bolt Flange Block; 1-15/16" Bore; 6.2" Bolt Circle; 6-3/16" Bolt Spacing; 1 Piece S |
| Other Features | Single Row Narrow Inner Race Has Trash Guard |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer Item Number | ARFLU-1.15/16 |
| Weight / LBS | 0.058 |
| d | 1.938 Inch 49.225 Millimeter |
| D | 1.693 Inch 43 Millimeter |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Bolt Spacing | 6.188 Inch 157.175 Millimeter |
| Nominal Bolt Circle Diameter Round | 6.2 Inch 157 Millimeter |
| Cartridge Pilot Depth | 0 Inch 0 Millimeter |
| bore diameter: | 1.9375 in |
| expansion type: | Non-Expansion Bearing (Fixed) |
| bolt center-to-center length: | 6.1875 in |
| length through bore: | 2-23/64 in |
| overall length/diameter: | 7.4688 in |
| finish/coating: | Uncoated |
| bore type: | Round |
| lubrication type: | Lubrication Fitting |
| duty type: | Intermediate Duty |

| | |
|----------------------|-----------------|
| series: | ARFLU |
| mounting type: | Two-Bolt Flange |
| standards met: | ISO, AFBMA |
| housing material: | Cast Iron |
| replacement bearing: | A-AR210-115D1 |
| locking device: | Set Screw |