

# FAG 24084-B-MB spherical roller bearings

Our highly-skilled and factory-trained service experts have the resources to help you with all your FAG 24084-B-MB spherical roller bearings 0.0 Inventory needs – including routine maintenance, major repairs, warranty service, and equipment inspections.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0
EAN	4547359597790
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	33/64 Inch
Relubricatable	Yes
Insert Part Number	A-UCX06-103D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch

Long Description	2 Bolt Flange Block; 1-3/16" Bore; 5.1" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Sol
Other Features	Single Row   Medium Duty   Wide Inner Race   Has Flinger
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	UCFLUX-1.3/16
Bolt Spacing	5.125 Inch   130.18 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Nominal Bolt Circle Diameter Round	5.1 Inch   130 Millimeter
d	1.188 Inch   30.175 Millimeter
D	1.689 Inch   42.9 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
bore diameter:	1.1875 in
locking device:	Set Screw
bolt center-to-center length:	5.1250 in
radial dynamic load capacity:	25700 N
overall length/diameter:	6.1563 in
radial static load capacity:	15300 N
duty type:	Medium Duty
operating temperature range:	-40 to 250 °F °F
mounting type:	Two-Bolt Flange

manufacturer upc number:	4547359597790
housing material:	Cast Iron