

# FAG 6226-2Z deep groove ball bearings

FAG 6226-2Z deep groove ball bearings manufacturer and global supplier of reliable ball and roller ... FAG 6226-2Z deep groove ball bearings Industries 24 Bore Diameter (mm) Products Manufacturing & Engineering and Agricultural Bearings designed to meet the 24x31x20 Size (mm) unique requirements of our targeted industries.

Size (mm)	24x31x20
Bore Diameter (mm)	24
Outer Diameter (mm)	31
Width (mm)	20
Fw	24 mm
D	31 mm
C	20 mm
Weight	0.032 Kg
Basic dynamic load rating (C)	18,8 kN
Basic static load rating (C0)	29,1 kN
(Grease) Lubrication Speed	6 500 r/min
Dw	2.5 mm
Lw	15.8 mm
Lubrication hole on outer ring	Non/No
Inner ring reference	No
Mass	0.03 kg
Cr	18.8 kN
C0r	29.1 kN
Nlim (grease)	6,500 rpm
Nlim (oil)	10,000 rpm

Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.45 Hz
Characteristic rolling element frequency, BSF	10.51 Hz
Characteristic outer ring frequency, BPF0	8.6 Hz
Characteristic inner ring frequency, BRFI	10.4 Hz
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.031
EAN	4547359074055
Product Group	B04144
bore diameter:	24 mm
static load capacity:	29100 N
outside diameter:	31 mm
bearing material:	Steel
overall width:	20 mm
cage material:	Steel
drawn cup type:	Open Ends
maximum rpm:	10000 rpm
closure type:	Open
precision rating:	ISO Class 0
number of rows:	One
series:	HMK
operating temperature range:	-40 to 250 °F, -40 to 120 °C
lubrication hole type:	No Hole

dynamic load capacity:

18800 N