

# FAG 806023 tapered roller bearings

Request A Quote For 17 Bore Diameter (mm) Your Special FAG 806023 tapered roller bearings Needs Today! 17x47x14 Size (mm) Free Quotes. ISO 9001 certified.

Size (mm)	17x47x14
Bore Diameter (mm)	17
Outer Diameter (mm)	47
Width (mm)	14
d	17 mm
D	47 mm
B	14 mm
C	14 mm
d1	26,5 mm
r1 min.	1 mm
r2 min.	1 mm
D2	39,6 mm
Weight	0,11 Kg
Temperature –	30 to +250 °
Basic static load rating (C0)	6,55 kN
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	17MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Fil
Other Features	Deep Groove   Extreme Temperature Variant
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.11
Inner Race Width	0 Inch   0 Millimeter
Outer Race Width	0.551 Inch   14 Millimeter
Bore	0.669 Inch   17 Millimeter
Outside Diameter	1.85 Inch   47 Millimeter
d1 ≈	26.52 mm
D2 ≈	39.58 mm
r1,2 min.	1 mm
da min.	22.6 mm
Da max.	41.4 mm
ra max.	1 mm

Basic dynamic load rating C	14.3 kN
Basic static load rating C <sub>0</sub>	6.55 kN
Limiting speed	280 r/min
Limiting temperature T max.	250 °C
Mass bearing	0.11 kg