

# FAG HCB71921-E-T-P4S angular contact ball bearings

Advance FAG HCB71921-E-T-P4S angular contact ball bearings is your source for quality and accessories. shop online for home delivery or pick up in one of 0.0 Inventory our 10000 .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.585
EAN	7316572048573
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH309 (Specify bore)
Withdrawal Nut	KM310
Inch – Metric	Metric
Long Description	45MM Tapered Bore; 85MM Outside Diameter; 23MM Width; C3-Loose Clearance; Adapter Mount; Double Row

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	1.288
B	0.906 Inch   23 Millimeter
d	1.772 Inch   45 Millimeter
Adapter Part Number	SNW09 H309 HA309 HE309 (Specify Bore) Inch   H309 (Specify bore) Millimeter
D	3.346 Inch   85 Millimeter
bore diameter:	45 mm
maximum rpm:	10000 RPM
outside diameter:	85 mm
operating temperature range:	Maximum of +390 °F
overall width:	23 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	23 mm

dynamic load capacity:	102 kN
fillet radius:	1 mm
static load capacity:	98 kN
series:	222