

# Fersa F15029 tapered roller bearings

LET OUR 0.0 Inventory Fersa F15029 tapered roller bearings EXPERTS N/A Minimum Buy Quantity GET YOU THE PARTS YOU NEED.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.868
EAN	7316577034847
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity   1 Rib Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID

Long Description	70MM Bore; Straight Bore Profile; 150MM Outside Diameter; 35MM Width; Polymer Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NJ 314 ECP/C3
Weight / LBS	6.318
d	2.756 Inch   70 Millimeter
B	1.378 Inch   35 Millimeter
D	5.906 Inch   150 Millimeter
bore diameter:	70 mm
static load capacity:	228 kN
outside diameter:	150 mm
precision rating:	Not Rated
overall width:	35 mm
maximum rpm:	5600 RPM
flanges:	(2) Outer Ring, (1) Inner Ring
bearing material:	Steel
bore type:	Straight
cage material:	Steel
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	35 mm
operating temperature range:	Maximum of +300 °F
fillet radius:	2 mm

dynamic load capacity:	236 kN
series:	NJ3