

Fersa QJ212FM/C3 angular contact ball bearings

The 20 mm d online Fersa QJ212FM/C3 angular contact ball bearings parts store gives you immediate access to a selection of more than 1.4 million new, used, remanufactured.

d	20 mm
D	35 mm
B	7 mm
rs min	0.3 mm
Radial clearance class	CN
Mass	0.02 kg
Dynamic load, C	4 kN
Static load, C ₀	2.47 kN
Fatigue limit load, C _u	0.11 kN
f ₀	15.5
N _{lim} (grease)	21,000 rpm
Min operating temperature, T _{min}	-25 °C
Max operating temperature, T _{max}	110 °C
Characteristic cage frequency, FTF	0.43 Hz
Characteristic rolling element frequency, BSF	7.29 Hz
Characteristic outer ring frequency, BPF ₀	5.62 Hz
Characteristic inner ring frequency, BRF ₁	7.38 Hz
da min	22 mm
da max	22.5 mm

Da max	33 mm
ra max	0.3 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.026
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Riveted Cage
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	20MM Bore; 32MM Outside Diameter; 7MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No F
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.042

Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.26 Inch 32 Millimeter
Bore	0.787 Inch 20 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter