

# Gamet 206210/206290P tapered roller bearings

What is Gamet 206210/206290P tapered roller bearings in 50 Bore Diameter (mm) mechanical engineering? Manufacturing Service . Upload your CAD file 44,6 mm U for an instant.

Bore Diameter (mm)	50
d	50 mm
U	44,6 mm
Thread (Q)	Rp1/8
Z	140 mm
d3	75,8 mm
A	31 mm
A1	19 mm
B1	66,8 mm
H	230 mm
J	187 mm
N	23 mm
S	2 mm
A2	2,5 mm
Weight	4,6 Kg
Basic dynamic load rating (C)	62 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	5.513
EAN	4012802067569
Product Group	M06110

Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	23 Millimeter
Relubricatable	Yes
Insert Part Number	GNE50KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 50MM Bore; 188MM Bolt Circle; 132.2MM Bolt Spacing; 1 Piece Solid; Ec
Other Features	Single Row   Centering Spigot   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RME050
Weight / LBS	10.14
Bore	1.969 Inch   50 Millimeter
Cartridge Pilot Depth	0.394 Inch   10 Millimeter
Cartridge Pilot Diameter	5.512 Inch   140 Millimeter
Length Thru Bore	2.626 Inch   66.7 Millimeter

Bolt Spacing	5.2 Inch   132.2 Millimeter
Nominal Bolt Circle Diameter Round	7.4 Inch   188 Millimeter