

GLCTE25 INA Weight / LBS

1.036 Bearing units

Bearing number	GLCTE25
Brand	INA
Bore Diameter (mm)	25
d	25 mm
U	33.4 mm
Thread (Q)	M6
d3	37.5 mm
A1	17.5 mm
B1	31 mm
H	97 mm
J	76.2 mm
L	71 mm
N	9 mm
A2	9.9 mm
Weight	0.47 Kg
Basic dynamic load rating (C)	14 kN
Category	Flange Block Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.47
EAN	4012802040548
Product Group – BDI	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar

Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	9 Millimeter
Relubricatable	Yes
Insert Part Number	GRAE25NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 25MM Bore; 76MM Bolt Circle; 76.2MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 31MM Length Thru Bore; Relubricatable; Double Lip Contact Seals
Other Features	Single Row Small Center Bolt With Set Screw
Category – BDI	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	GLCTE25
Weight / LBS	1.036
Nominal Bolt Circle Diameter Round	3 Inch 76 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter

Length Thru Bore	1.22 Inch 31 Millimeter
Bore	0.984 Inch 25 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	3 Inch 76.2 Millimeter