

IKO CRBC 30035 thrust roller bearings

IKO CRBC 30035 thrust roller bearings with easy-to-use parts graphics, giving you the ability to check parts availability, Mounted Bearing Engineering Group pricing, examine Imperial Shaft Size Type remanufactured options.

| | |
|-------------------------|-----------------------|
| Engineering Group | Mounted Bearing |
| Shaft Size | 3-1/2 in |
| Shaft Size Type | Imperial |
| Full Timken Part Number | QAAP18A308SB |
| Locking Style | Double Concentric |
| Weight | 45 lb |
| Housing Style | Two-Bolt Pillow Block |
| UPC Code | 0883450026505 |
| Dimension A | 3.75 in |
| Dimension B | 7.69 in |
| Dimension C | 5.13 in |
| Dimension D Max | 11.25 in |
| Dimension D Min | 9.38 in |
| Dimension F | 13.50 in |
| Dimension G | 3.410 in |
| Dimension H | 1.88 in |
| Dimension J (Bolt Size) | 0.875 in |
| Dimension L | 4.3 in |
| Dimension M | 2.59 in |
| Dimension RAA | 0.89 in |
| Dimension SAA | 5.18 in |

| | |
|-------------------------------------|-----------|
| C0 – Static Load | 87200 lb |
| C – Dynamic Load (Basic) | 79700 lb |
| e – Geometry Factor | 0.23 |
| Y1 – Geometry Factor | 2.90 |
| Y2 – Geometry Factor | 4.31 |
| Oil Lubrication – M/N Seal | 1400 rpm |
| Oil Lubrication – T Seal | 2400 rpm |
| Oil Lubrication – B/C/O Seal | 1000 rpm |
| Grease Lubrication – M/N Seal | 1400 rpm |
| Grease Lubrication – T Seal | 2000 rpm |
| Grease Lubrication – B/C/O Seal | 1000 rpm |
| Float | 0.083 in |
| Shaft Tolerance | 0.0030 in |
| Eng Internal Radial Clearance – Min | 0.0024 |
| Eng Internal Radial Clearance – Max | 0.0039 |
| Pre Install Clearance Min | 0.0024 in |
| Pre Install Clearance Max | 0.0039 in |