

# IKO CRBS 608 V thrust roller bearings

With over 10170 full-service N/A Minimum Buy Quantity stores, our IKO CRBS 608 V thrust roller bearings inventory is extensive and our parts 0.0 Inventory are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	5.795
EAN	4547359598209
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	UEL212-207D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Inch

Long Description	4 Bolt Round Flange Cartridge; 2-7/16" Bore; 6.4" Bolt Circle; 4-29/64" Bolt Spacing;
Other Features	Single Row   Light Duty   Wide Inner Race   Spigot Joint   Has Flinger   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	UELFC212-207D1
Weight / LBS	11
d	2.438 Inch   61.925 Millimeter
Nominal Bolt Circle Diameter Round	6.4 Inch   162 Millimeter
Bolt Spacing	4.453 Inch   113.1 Millimeter
Cartridge Pilot Diameter	5.315 Inch   135 Millimeter
D	3.063 Inch   77.8 Millimeter
Cartridge Pilot Depth	0.469 Inch   11.9 Millimeter
bore diameter:	2.4375 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	4.4531 in
length through bore:	2-63/64 in
overall length/diameter:	7.6875 in
finish/coating:	Uncoated
bore type:	Round
lubrication type:	Lubrication Fitting
mounting type:	Four-Bolt Piloted

series:	UELFC
housing material:	Cast Iron
standards met:	JIS
locking device:	Eccentric Collar
replacement bearing:	UEL212-207D1