

# IKO NAG 4907 cylindrical roller bearings

IKO NAG 4907 cylindrical roller bearings Needs 30x62x16 Size (mm) Analysis , Manufacturing Service . Get Your 30 Bore Diameter (mm) Free.

Size (mm)	30x62x16
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	16
d	30 mm
D	62 mm
B	16 mm
C	16 mm
r min.	1 mm
da min.	35 mm
Da max.	57 mm
ra max.	1 mm
Weight	0,22 Kg
Basic dynamic load rating (C)	15,8 kN
Basic static load rating (C0)	4,65 kN
(Grease) Lubrication Speed	10 000 r/min
(Oil) Lubrication Speed	12 000 r/min
Calculation factor (e)	0,25
Calculation factor (Y0)	2,6
Calculation factor (Y2)	3,9
SRI	4.17
Y3	2.5

hidYobi	1206
LangID	1
PCD	45.5
D_	62
Y2	3.9
SREX	0
cyl count	14
B_	16
hidTable	ecat_NSSAB
Oil rpm	12000
SRE	0
Y0	2.6
mass	0.22
ra	1
GRS rpm	10000
SRIX	0.04
groove inner	37.556
D_a	57
SRIN	0
C0	4.65
groove outer	54.068
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	35
X2	0.65
e	0.25
yobi	1206

r	1
KBRG	1352
CAng	9.483
cyl dia	7.938