

# IKO RNA 49/14 needle roller bearings

What are the types of IKO RNA 49/14 needle roller bearings ?  
Manufacturing Service 31.75 Bore Diameter (mm) . Get Your  
Free, Instant price, design review.

Bore Diameter (mm)	31.75
d	31.75 mm
s1	32,3 mm
A	45 mm
A1	27 mm
B1	51,1 mm
H	91,5 mm
H1	46,1 mm
H2	17,5 mm
J	126 mm
L	160 mm
N	21 mm
N1	14 mm
Thread (G)	12
Weight	1,85 Kg
Basic dynamic load rating (C)	25,5 kN
Basic static load rating (C0)	15,3 kN
Fatigue load limit (Pu)	0,655
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	1.82
EAN	7316577754844
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YEL 207-104-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Standard Duty   Wide Inner Race   Low Base   Has Flinger
Long Description	2 Bolt Pillow Block; 1-1/4" Bore; 1-13/16" Base to Center Height; Eccentric Collar Mount;
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SYH 1.1/4 WF
Weight / LBS	4
Base to Center Height	1.813 Inch   46.05 Millimeter
Bore	1.25 Inch   31.75 Millimeter

Bolt Spacing Maximum	5.25 Inch   133.35Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Length Thru Bore	2.031 Inch   51.59 Millimeter
Nominal Bolt Center to Center	5 Inch   127 Millimeter
Bolt Spacing Minimum	4.688 Inch   119.075Millimeter