

# IKO TLAM 2016 needle roller bearings

IKO TLAM 2016 needle roller bearings Manufacturers 120x215x43.5 Size (mm) , Online Wholesale Suppliers !

Size (mm)	120x215x43.5
Bore Diameter (mm)	120
Outer Diameter (mm)	215
Width (mm)	43,5
d	120 mm
D	215 mm
T	43,5 mm
B	40 mm
C	34 mm
a	44,4 mm
r min.	3 mm
r1 min.	2,5 mm
da min.	138 mm
Da min	190 mm
Da max.	203 mm
db max.	141 mm
Db min.	201 mm
ra max.	2,5 mm
rb max.	2 mm
Weight	6,28 Kg
Basic dynamic load rating (C)	335 kN
Basic static load rating (C0)	450 kN
(Grease) Lubrication Speed	1600 r/min

(Oil) Lubrication Speed	2200 r/min
Calculation factor (e)	0,44
Calculation factor (Y0)	0,76
LangID	1
outer r	2.5
D_	215
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	3
mass	6.28
GRS rpm	1600
D_b	201
Cr	34000
TC-RA	356.8
DE_	191.117
T-ALP23	40
db	141
T-ALP22	20
Prod_Type3	TRBSR_MD_A
da	138
T-ALP21	32
Iso	4FB
ALPHA_	16.173
SDM_	167.8
SBRG	2
D_a2	190
hidYobi	HR30224J
Y1	1.4

D_a1	203
B_	40
hidTable	ecat_NSTPRM
Oil rpm	2200
C0r	46000
Y0	0.76
TC-SLR	28
inner ra	2.5
outer rb	2
C0	450
Sa	6
Sb	9.5
e	0.44
DA_	23.933
Z_	20
C_	34
yobi	HR30224J
TC-DA1	24.902
TC-DA2	22.964
KBRG	3111
DI_	144.483