## INA BCE108 needle roller bearings

Various types and TIMKEN Manufacturer Name sizes to 0.0 Inventory accommodate N/A Minimum Buy Quantity your INA BCE108 needle roller bearings requirements.

| Inventory                 | 0.0                                    |
|---------------------------|--|
| Manufacturer Name         | TIMKEN                                 |
| Minimum Buy Quantity      | N/A                                    |
| Weight                    | 12.712                                 |
| EAN                       | 0883450208703                          |
| Product Group             | M06288                                 |
| Number of Mounting Holes  | 2                                      |
| Mounting Method           | V Lock                                 |
| Housing Style             | 2 Bolt Pillow Block                    |
| Rolling Element           | Spherical Roller Bearing               |
| Housing Material          | Cast Steel                             |
| Expansion / Non-expansion | Expansion                              |
| Mounting Bolts            | 3/4 Inch                               |
| Relubricatable            | Yes                                    |
| Insert Part Number        | 22217                                  |
| Seals                     | Triple Lip Viton                       |
| Housing Configuration     | 1 Piece Solid                          |
| Inch — Metric             | Metric                                 |
| Other Features            | Double Row   Double Nut   SAF<br>Style |

| Long Description              | 2 Bolt Pillow Block; 75MM Bore;<br>95MM Base to Center Height; V<br>Lock Mount; Spherical Roller<br>Bearing; |
|-------------------------------|--|
| UNSPSC                        | 31171511   |
| Harmonized Tariff Code        | 8483.20.40.80  |
| Noun                          | Bearing  |
| Keyword String                | Pillow Block   |
| Manufacturer Item Number      | QVVPA17V075SEN   |
| Weight / LBS                  | 33   |
| Nominal Bolt Center to Center | 10.2 Inch   260 Millimeter   |
| d                             | 2.953 Inch   75 Millimeter   |
| В                             | 3.74 Inch   95 Millimeter  |
| Bolt Spacing Maximum          | 11 Inch   279.4Millimeter  |
| D                             | 4.18 Inch   106.172 Millimeter   |
| Actual Bolt Center to Center  | 0 Inch   OMillimeter   |
| Bolt Spacing Minimum          | 9.5 Inch   241.3Millimeter   |