

# INA CSCC060 deep groove ball bearings

YOU'LL FIND AN EXTENSIVE 80 Bore Diameter (mm) SELECTION OF INA CSCC060 deep groove ball bearings FOR SALE. 80x40x18 Size (mm) 40 Outer Diameter (mm)

Size (mm)	80x40x18
Bore Diameter (mm)	80
Outer Diameter (mm)	40
Width (mm)	18
d	40 mm
D	80 mm
B	18 mm
d1	52.6 mm
D2	69.8 mm
r1,2 – min.	1.1 mm
da – min.	47 mm
da – max.	52.5 mm
Da – max.	73 mm
ra – max.	1 mm
Basic dynamic load rating – C	32.5 kN
Basic static load rating – C0	19 kN
Fatigue load limit – Pu	0.8 kN
Limiting speed	5600 r/min
Calculation factor – kr	0.025
Calculation factor – f0	13.8
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	0.38
EAN	7316577066619
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	40MM Bore; 80MM Outside Diameter; 18MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1   ISO P0;
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6208-2RS1
Weight / LBS	0.84
Outer Race Width	0.709 Inch   18 Millimeter
Bore	1.575 Inch   40 Millimeter
Outside Diameter	3.15 Inch   80 Millimeter
d1 ≈	52.6 mm
D2 ≈	69.8 mm
r1,2 min.	1.1 mm

da min.	47 mm
da max.	52.5 mm
Da max.	73 mm
ra max.	1 mm
Basic dynamic load rating C	32.5 kN
Basic static load rating C <sub>0</sub>	19 kN
Fatigue load limit P <sub>u</sub>	0.8 kN
Calculation factor k <sub>r</sub>	0.025
Calculation factor f <sub>0</sub>	13.8
Mass bearing	0.38 kg