

INA F-220006 cylindrical roller bearings

What are 48 Bore Diameter (mm) the dimensions of a INA F-220006 cylindrical roller bearings? Manufacturing Service . Get Your Free, Instant Quote 48x62x22 Size (mm)

Size (mm)	48x62x22
Bore Diameter (mm)	48
Outer Diameter (mm)	62
Width (mm)	22
Fw	48 mm
D	62 mm
C	22 mm
r min.	0,6 mm
Da max.	58 mm
ra max.	0,6 mm
Weight	0,14 Kg
Basic dynamic load rating (C)	43,5 kN
Basic static load rating (C0)	66,5 kN
(Grease) Lubrication Speed	5500 r/min
rs min	0.6 mm
Dw	5 mm
Lw	16.8 mm
Lubrication hole on outer ring	Oui/Yes
k	3 mm
Radial clearance class	CN
Precision class	P0
Mass	0.14 kg

Cr	43.5 kN
C0r	66.5 kN
Nlim (grease)	5,500 rpm
Nlim (oil)	8,500 rpm
Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.45 Hz
Characteristic rolling element frequency, BSF	10.51 Hz
Characteristic outer ring frequency, BPF0	9.96 Hz
Characteristic inner ring frequency, BRFI	12.04 Hz
Da max	58 mm
ras max	0.6 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.139
EAN	4547359171785
Product Group	B04144
bore diameter:	48 mm
maximum rpm:	8500 RPM
outside diameter:	62 mm
flanges:	No Flange
overall width:	22 mm
series:	RNA49
needle bearing type:	Machined Bearing with No Inner Ring
lubrication hole type:	No Hole

closure type:	Open
precision rating:	Not Rated
dynamic load capacity:	4450 kgf
standards met:	JIS B 15
static load capacity:	6800 kgf