

# INA GE 340 D0 plain bearings

INA GE 340 D0 plain bearings Manufacturers , SKF Manufacturer Name Online Wholesale Suppliers 0.0 Inventory !

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.07
EAN	7316577032560
Product Group	B04286
Stud Profile	Female
Mounting Thread	M10 X 1.5
Thread Direction	Right Hand
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Bronze
Relubricatable	Yes
Enclosure	Open
Other Features	3 Piece   Zinc Plated Outer
Long Description	10MM Bore; 11.5MM House Width; Female Stud Profile; M10 X 1.5; Right Hand Thread Direction; Spherica
Inch – Metric	Metric
UNSPSC	31171508
Harmonized Tariff Code	8483.30.80.55
Noun	Bearing
Keyword 3	Rod End

Keyword String	Plain Spherical Rod End
Manufacturer Item Number	SIKAC 10 M
Weight / LBS	0.159
Ball Width	0.551 Inch   14 Millimeter
Housing Width	0.453 Inch   11.5 Millimeter
d	10 mm
bore diameter:	10 mm
ball material:	Steel
misalignment angle:	13 °
race material:	Bronze
shank thread length:	15 mm
radial static load capacity:	12.2 kN
rod end type:	Female Threaded
operating temperature range:	-30 to +180 °F
shank thread size:	M10x1.5
head diameter:	29 mm
thread direction:	Right Hand
head width:	11.5 mm
grade:	Precision
ball width:	14 mm
lubrication type:	With Lubrication Fitting
length to ball center:	43 mm
housing material:	Zinc-Plated Steel
standards met:	DIN 71412:1987, ISO 8139-4:1998
d2 max.	29 mm
B	14 mm
G	M 10
C1 max.	11.5 mm

h1	43 mm
$\alpha$	13 °
dk	19 mm
d3 ≈	15 mm
d4 max.	20 mm
l3 min.	15 mm
l4 max.	58 mm
l5 ≈	6.5 mm
l7 min.	14 mm
w	17 mm
r1 min.	0.3 mm
Basic static load rating C0	12.2 kN
Specific dynamic load factor K	50 N/mm <sup>2</sup>
Material constant KM	330
Mass rod end	0.072 kg