## INA GE160-D0-2RS plain bearings

Manufacturers of all are represented in our partial list of clients. Contact Gary for a 0.0 Inventory complete INA GE160-D0-2RS plain bearings list of clients and projects.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.222
EAN	4547359653434
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material — Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	0 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Brass
Rolling Element	Ball Bearing
Flush Ground	No
Inch — Metric	Metric
Other Features	Single Row   Deep Groove   C3 Clearance   High Capacity
Long Description	40MM Bore; 68MM Outside Diameter; 15MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Steel Ball

UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Deep Groove Ball
Manufacturer Item Number	6008L1CC3P4
Weight / LBS	0.489
D	2.677 Inch   68 Millimeter
В	0.591 Inch   15 Millimeter
d	1.575 Inch   40 Millimeter
bore diameter:	40 mm
precision rating:	ISO Class 4
outside diameter:	68 mm
finish/coating:	Uncoated
overall width:	15 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Brass
closure type:	0pen
inner ring width:	15 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	15 mm
<pre>snap ring included:</pre>	Without Snap Ring
<pre>maximum rpm (grease):</pre>	10000 rpm
internal clearance:	С3
maximum rpm (oil):	12000 rpm
operating temperature range:	-40 to 120 ºC
fillet radius:	1 mm
dynamic load capacity:	16800 N
manufacturer product page:	Click here

static load capacity:	11500 N	