

INA GIKR 20 PB plain bearings

YOU'LL FIND 70x150x78 Size (mm) AN 150,000 Outer Diameter (mm) EXTENSIVE SELECTION 70,000 Bore Diameter (mm) OF INA GIKR 20 PB plain bearings FOR SALE.

Size (mm)	70x150x78
Bore Diameter (mm)	70,000
Outer Diameter (mm)	150,000
Width (mm)	78
d	70,000 mm
D	150,000 mm
B	78 mm
C	41 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	3.86
EAN	4547359233636
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No

Long Description	70MM Bore; Wide Inner Ring; Ball Bearing; 78MM Length Thru Bore; 41MM Outer Race Width; 150MM Outsid
Inch – Metric	Metric
Other Features	Single Row Heavy Duty Steel Cage Has Flinger Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	UC314D1
Weight / LBS	8.51
Bore	2.756 Inch 70 Millimeter
Outer Race Width	1.614 Inch 41 Millimeter
Length Thru Bore	3.071 Inch 78 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
bore diameter:	70 mm
fillet radius:	2.5 mm
outside diameter:	150 mm
radial dynamic load capacity:	104000 N
outer ring width:	41 mm
radial static load capacity:	68000 N
inner ring width:	78 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	2100 RPM
duty type:	Heavy Duty

seal type:	Contact
overall width:	78 mm
series:	UC3
operating temperature range:	-40 to 120 °C
manufacturer product page:	Click here