

INA HK2220-2RS needle roller bearings

INA HK2220-2RS needle roller bearings 0.0 Inventory Deal is your source for OEM and accessories. We sell Genuine SKF Manufacturer Name at discount prices.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.32
EAN	7316577002594
Product Group	B04286
Stud Profile	Male
Mounting Thread	M20 X 1.5
Thread Direction	Right Hand
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Steel
Relubricatable	Yes
Enclosure	Open
Other Features	3 Piece Zinc Plated Outer
Long Description	20MM Bore; 13.5MM House Width; Male Stud Profile; M20 X 1.5; Right Hand Thread Direction; Spherical
Inch – Metric	Metric
UNSPSC	31171508
Harmonized Tariff Code	8483.30.80.55

Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer Item Number	SA 20 ES
Weight / LBS	0.705
Ball Width	0.63 Inch 16 Millimeter
d	20 mm
Housing Width	0.531 Inch 13.5 Millimeter
bore diameter:	20 mm
ball material:	Steel
misalignment angle:	9 °
race material:	Steel
shank thread length:	43 mm
radial static load capacity:	42.5 kN
rod end type:	Male Threaded
operating temperature range:	-30 to +130 °F
shank thread size:	M20x1.5
head diameter:	54 mm
thread direction:	Right Hand
head width:	13.5 mm
grade:	Commercial/Industrial
ball width:	16 mm
lubrication type:	With Lubrication Fitting
length to ball center:	78 mm
housing material:	Zinc-Plated Steel
standards met:	ISO 12240-4:1998
d2 max.	54 mm
B	16 mm
G	M 20x1.5

C1 max.	13.5 mm
h	78 mm
α	9 °
dk	29 mm
l1 min.	43 mm
l2 max.	107 mm
l7 min.	24 mm
r1 min.	0.3 mm
Basic dynamic load rating C	30 kN
Basic static load rating C0	42.5 kN
Specific dynamic load factor K	100 N/mm ²
Material constant KM	330
Mass rod end	0.32 kg