

INA K39X44X26-ZW needle roller bearings

With over 10170 full-service stores, our INA K39X44X26-ZW needle roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned 6x16x6 Size (mm) dollars.

Size (mm)	6x16x6
Bore Diameter (mm)	6
Outer Diameter (mm)	16
Width (mm)	6
d	6 mm
D	16 mm
B	6 mm
C	6 mm
r min.	0,2 mm
da min.	7,6 mm
da max	8 mm
Da max.	14,4 mm
ra max.	0,2 mm
Basic dynamic load rating (C)	1,77 kN
Basic static load rating (C0)	0,695 kN
(Grease) Lubrication Speed	36 000 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.005

EAN	4547359463071
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	6MM Bore; 16MM Outside Diameter; 6MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P
Other Features	Miniature Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	BC6-16AZZ
Weight / LBS	0.012
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.236 Inch 6 Millimeter
Bore	0.236 Inch 6 Millimeter
Outside Diameter	0.63 Inch 16 Millimeter
bore diameter:	6 mm
snap ring included:	Without Snap Ring
outside diameter:	16 mm
finish/coating:	Uncoated

overall width:	6 mm
bearing material:	Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	6 mm
row type & fill slot:	Single Row Filling Slot
outer ring width:	6 mm