

INA NK50/25-TN-XL needle roller bearings

The online INA NK50/25-TN-XL needle roller bearings 25,000 Bore Diameter (mm) parts 25x52x34.1 Size (mm) store gives you immediate access to a 52,000 Outer Diameter (mm) selection of more than 1.4 million new, used, remanufactured.

Size (mm)	25x52x34.1
Bore Diameter (mm)	25,000
Outer Diameter (mm)	52,000
Width (mm)	34,1
d	25,000 mm
D	52,000 mm
B	34,1 mm
C	17 mm
Inventory	2.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.2
EAN	4547359231625
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No

Long Description	25MM Bore; Wide Inner Ring; Ball Bearing; 34.1MM Length Thru Bore; 17MM Outer Race Width; 52MM Outsi
Inch – Metric	Metric
Other Features	Single Row Light Duty Steel Cage Has Flinger Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	UC205D1
Weight / LBS	0.441
Length Thru Bore	1.343 Inch 34.1 Millimeter
Outside Diameter	2.047 Inch 52 Millimeter
Bore	0.984 Inch 25 Millimeter
Outer Race Width	0.669 Inch 17 Millimeter
bore diameter:	25 mm
fillet radius:	1 mm
outside diameter:	52 mm
radial dynamic load capacity:	14000 N
outer ring width:	17 mm
radial static load capacity:	7850 N
inner ring width:	34.1 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	5900 RPM
duty type:	Standard Duty

seal type:	Contact
overall width:	34.10 mm
series:	UC2
operating temperature range:	-40 to 120 °C
manufacturer product page:	Click here