

# INA NKI20/20-XL needle roller bearings

INA NKI20/20-XL needle roller bearings Needs Analysis , Manufacturing Service . Get Your 65x120x23 Size (mm) 65 Bore Diameter (mm) Free.

Size (mm)	65x120x23
Bore Diameter (mm)	65
Outer Diameter (mm)	120
Width (mm)	23
d	65 mm
D	120 mm
B	23 mm
C	23 mm
r min.	1,5 mm
da min.	73 mm
Da max.	112 mm
ra max.	1,5 mm
Weight	1,15 Kg
Basic dynamic load rating (C)	31 kN
Basic static load rating (C0)	12,5 kN
(Grease) Lubrication Speed	4 800 r/min
(Oil) Lubrication Speed	6 000 r/min
Calculation factor (e)	0,17
Calculation factor (Y0)	3,8
Calculation factor (Y2)	5,7
SRI	5.83
Y3	3.7

hidYobi	1213
LangID	1
PCD	93.5
D_	120
Y2	5.7
SREX	0
cyl count	21
B_	23
hidTable	ecat_NSSAB
Oil rpm	6000
SRE	0
Y0	3.8
mass	1.15
ra	1.5
GRS rpm	4800
SRIX	0.05
groove inner	82.384
D_a	112
SRIN	0
C0	12.5
groove outer	105.222
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	73
X2	0.65
e	0.17
yobi	1213

r	1.5
KBRG	1352
CAng	6.528
cyl dia	11.112