

# INA SL11 934 cylindrical roller bearings

Can't find what you're looking for INA SL11 934 cylindrical roller bearings ? Our expert Representatives be 25,4 Bore Diameter (mm) in contact with you shortly!

Bore Diameter (mm)	25,4
Width (mm)	34,1
d	25,4 mm
s1	19,8 mm
A1	30 mm
B	34,1 mm
G	10 mm
H	124 mm
J	98,8 mm
L	70 mm
N	12,7 mm
T	38,8 mm
A2	12 mm
Weight	0,6 Kg
Basic dynamic load rating (C)	14 kN
Basic static load rating (C0)	7,8 kN
Fatigue load limit (Pu)	0,335
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.59
EAN	7316577755247

Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	7/16 Inch
Relubricatable	Yes
Insert Part Number	YAR 205-100-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	2 Bolt Flange Block; 1" Bore; 3.9" Bolt Circle; 3-29/32" Bolt Spacing; 1 Piece Solid;
Other Features	Single Row   Standard Duty   Wide Inner Race   Open End   Has Flinger   Y Bearing
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYT 1. TF
Weight / LBS	1.3
Bore	1 Inch   25.4 Millimeter
Length Thru Bore	1.344 Inch   34.13 Millimeter
Bolt Spacing	3.906 Inch   99.2 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter

Nominal Bolt Circle Diameter Round	3.9 Inch   99 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter