

INA SL182232 cylindrical roller bearings

What are the dimensions of a INA SL182232 cylindrical roller bearings? 31.75 Bore Diameter (mm) Manufacturing Service . 31.75 mm d Get Your Free, Instant Quote

Bore Diameter (mm)	31.75
d	31.75 mm
Da	156 mm
s1	50,4 mm
A1	34,5 mm
B1	38,9 mm
G	29,4 mm
H	130,2 mm
J	96 mm
L	14,3 mm
N	12 mm
T	25,5 mm
A2	13 mm
Weight	1,4 Kg
Basic dynamic load rating (C)	15,3 kN
Basic static load rating (C0)	0,655 kN
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.41
EAN	7316576614552
Product Group	M06110

Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YET 207-104
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	2 Bolt Flange Block; 1-1/4" Bore; 5.1" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Solid
Other Features	Single Row Standard Duty Narrow Inner Race Open End Y Bearing
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYT 1.1/4 FM
Weight / LBS	3.1
Length Thru Bore	1.531 Inch 38.9 Millimeter
Bolt Spacing	5.125 Inch 130.18 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter

Bore	1.25 Inch 31.75 Millimeter
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter