

ISB 1318 K+H318 self aligning ball bearings

LET OUR ISB 1318 K+H318 self aligning ball bearings EXPERTS GET 0.0 Inventory YOU THE PARTS YOU NEED.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	16.8
Product Group	M06288
Number of Mounting Holes	2
Mounting Method	Tapered Adapter Sleeve
Housing Style	2 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22216 EK
Seals	Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Double Row Heavy Duty
Long Description	2 Bolt Pillow Block; 2-11/16" Bore; 3-1/2" Base to Center Height; Tapered Adapter Sleeve M
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SAF 22516/C3
Weight / LBS	37
B	3.5 Inch 88.9 Millimeter
d	2.688 Inch 68.275 Millimeter
Bolt Spacing Minimum	9.625 Inch 244.475Millimeter
Bolt Spacing Maximum	11 Inch 279.4Millimeter
D	5.313 Inch 134.95 Millimeter
Nominal Bolt Center to Center	10.3 Inch 260.5 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
bore diameter:	2.6875 in
overall width:	4.9844 in
overall length:	13.0000 in
seal type:	Labyrinth Seal
overall height:	6.6875 in
base height:	1.2500 in
mounting:	Two-Bolt Base
maximum operating temperature:	Max 210 °F
bearing type:	Spherical Roller
maximum rpm:	6000 rpm
bore type:	Round
lubrication type:	Lubrication Fitting
housing construction:	Split Pillow Block
bolt size:	0.8750 in
base to bore centerline:	3.5000 in
series:	SAF225

housing material:	Cast Iron
replacement bearing:	22216 EK
locking device:	Adapter Mount
weight:	36 lbs
bearing material:	Cast Iron
manufacturer product page:	Click here
finish/coating:	Blue Alkyd/Acryl Paint (RAL 5001)
manufacturer upc number:	7316576668883