

# ISB 1319 K self aligning ball bearings

170 136,525 Outer Diameter (mm) Million used ISB 1319 K self aligning ball bearings instantly 68.262×136.525×46.038 Size (mm) searchable. Shop our large selection of parts based on brand, price, description, and location. Order the with stock

...

Size (mm)	68.262×136.525×46.038
Bore Diameter (mm)	68,262
Outer Diameter (mm)	136,525
Width (mm)	46,038
d	68,262 mm
D	136,525 mm
T	46,038 mm
B	46,038 mm
C	36,512 mm
ra1 max.	3,3 mm
a	37,1 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	118 mm
db	84 mm
ra max.	3,5 mm
da	90 mm
Db	132 mm
Weight	3,241 Kg
Basic dynamic load rating (C)	233 kN

Basic static load rating (C0)	370 kN
(Grease) Lubrication Speed	2600 r/min
(Oil) Lubrication Speed	3400 r/min
Calculation factor (e)	0,47
Calculation factor (Y0)	0,7
LangID	1
ALP23	0
outer r	3.3
ALP22	0
D_	136.525
ALP21	35
SHOG_yobi	H715343R/H715311R
RAr	216.5
inner r	3.5
GRS rpm	2600
D_b	132
D_a	118
DE_	119.5
SLR	35.6
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	17.5
SDM_	106.757
DA1	14.481
DA2	12.107
hidYobi	H715343/H715311
Y1	1.3
B_	46.038
Oil rpm	3400

hidTable	ecat_NSTPRI
Y0	0.7
inner ra	3.5
outer rb	3.3
C0	370
CUP	0.961
e	0.47
DA_	13.299
BET21	3
BET22	50
BET23	0
Z_	22
C_	36.512
yobi	H715343/H715311
KBRG	3161
CONE	2.28
DI_	93.834