

ISB 22320 EKW33+H2320 spherical roller bearings

Enjoy High Margins on Competitive Pricing.Great 0.0 Inventory
Wholesale Products N/A Minimum Buy Quantity at NTN
Manufacturer Name Low Costs.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.226
EAN	4547359344332
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	32MM Bore; 65MM Outside Diameter; 17MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fil
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing

Keyword String	Ball
Manufacturer Item Number	62/32X6C3
Weight / LBS	0.498
D	2.559 Inch 65 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.669 Inch 17 Millimeter
d	1.26 Inch 32 Millimeter
bore diameter:	32 mm
finish/coating:	Uncoated
outside diameter:	65 mm
bearing material:	High Carbon Chrome Steel
overall width:	17 mm
cage material:	Steel
bore type:	Round
inner ring width:	17 mm
closure type:	Open
outer ring width:	17 mm
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	11000 rpm
snap ring included:	Without Snap Ring
maximum rpm (oil):	12000 rpm
internal clearance:	C3
fillet radius:	3 mm
operating temperature range:	-40 to 120 °C
maximum rpm:	12000 RPM
dynamic load capacity:	20700 N
series:	62
static load capacity:	11600 N
manufacturer product page:	Click here

precision rating:

Class 0