

ISB 22356 K spherical roller bearings

ISB 22356 K spherical roller bearings with 15 Bore Diameter (mm) easy-to-use parts graphics, giving you the ability to check parts 15×47.3×31.1 Size (mm) availability, pricing, 47,3 Outer Diameter (mm) examine remanufactured options.

Size (mm)	15×47.3×31.1
Bore Diameter (mm)	15
Outer Diameter (mm)	47,3
Width (mm)	31,1
d	15 mm
D	47,3 mm
B2	31,1 mm
B1	28,6 mm
C	18 mm
D2	33,5 mm
d3 max	28 mm
S1	22,1 mm
– / Temperature -20 °C to +85 °C	/ Temperature 20 °C to +85 °C
m	0,15 kg / Weight
Cg	840 N / Rubber ring: load carrying capacity
Cr	10100 N / Dynamic load rating (radial)
C0r	4750 N / Static load rating (radial)

– RAE15-NPP-B-FA106 / Designation bearing	RAE15NPPBFA106 / Designation bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.18
EAN	4012802818093
Product Group	M06110
Inner Race Profile	Narrow Inner Ring
Outer Race Profile	Spherical
Relubricatable	No
Seal Type	Double Lip Contact
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	15MM Bore; Narrow Inner Ring; Ball Bearing; 28.6MM Length Thru Bore; 0MM Outer Race Width; 47.3MM Ou
Inch – Metric	Metric
Other Features	Single Row With Inter Liner Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	RABR-B15/47
Weight / LBS	0.331
Outer Race Width	0 Inch 0 Millimeter
Bore	0.591 Inch 15 Millimeter

Outside Diameter	1.862 Inch 47.3 Millimeter
Length Thru Bore	1.126 Inch 28.6 Millimeter