

# ISB 239/710 EKW33+0H39/710 spherical roller bearings

Various 17 Bore Diameter (mm) types and 47 Outer Diameter (mm) sizes to accommodate your ISB 239/710 EKW33+0H39/710 spherical roller bearings requirements. 17x47x19 Size (mm)

Size (mm)	17x47x19
Bore Diameter (mm)	17
Outer Diameter (mm)	47
Width (mm)	19
d	17 mm
D	47 mm
B	19 mm
C	19 mm
r min.	1 mm
da min.	22 mm
Da max.	42 mm
ra max.	1 mm
Weight	0,15 Kg
Basic dynamic load rating (C)	14,7 kN
Basic static load rating (C0)	3,55 kN
(Grease) Lubrication Speed	13 000 r/min
(Oil) Lubrication Speed	16 000 r/min
Calculation factor (e)	0,51
Calculation factor (Y0)	1,3
Calculation factor (Y2)	1,9
SRI	4.17
Y3	1.2

hidYobi	2303
LangID	1
PCD	31.3
D_	47
Y2	1.9
SREX	0
cyl count	10
B_	19
hidTable	ecat_NSSAB
Oil rpm	16000
SRE	0
Y0	1.3
mass	0.15
ra	1
GRS rpm	13000
SRIX	0.04
groove inner	23.34
D_a	42
SRIN	0
C0	3.55
groove outer	41.016
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	22
X2	0.65
e	0.51
yobi	2303

r	1
KBRG	1354
CAng	18.873
cyl dia	7.938