

ISB 30216 tapered roller bearings

With SKF Manufacturer Name over 10170 full-service stores, our ISB 30216 tapered roller bearings inventory is extensive and our parts 0.0 Inventory are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

| | |
|-------------------------|---|
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 143.5 |
| EAN | 7316572346013 |
| Product Group | B04264 |
| Self Aligning | Yes |
| Rolling Element | Spherical Plain |
| Material – Outer Member | Steel |
| Material – Ball | Steel |
| Material – Liner | Teflon |
| Relubricatable | No |
| Enclosure | 2 Seals |
| Other Features | 2 Piece Axially Split Outer Ring Chrome Plated Ball Self Lubricating Double Lip Seals |
| Long Description | 400MM Bore; 160MM Housing Width; 540MM Outside Diameter; Spherical Plain; Steel Outer Member; Steel |
| Inch – Metric | Metric |

| | |
|--|------------------------------------|
| UNSPSC | 31171515 |
| Harmonized Tariff Code | 8483.30.80.70 |
| Noun | Bearing |
| Keyword 3 | Spherical |
| Keyword String | Plain Spherical Radial |
| Manufacturer Item Number | GEC 400 TXA-2RS |
| Weight / LBS | 286.601 |
| B | 190 mm |
| D | 540 mm |
| d | 400 mm |
| Housing Width | 6.299 Inch 160 Millimeter |
| Lubricant | Maintenance free – dry lubrication |
| Design (sliding contact surface combination) | Steel/PTFE fabric |
| Sealing solution | Double-lip seals |
| C | 160 mm |
| α | 3 ° |
| dk | 470 mm |
| r1 min. | 1.5 mm |
| r2 min. | 4 mm |
| da min. | 420 mm |
| da max. | 429 mm |
| Da min. | 465 mm |
| Da max. | 510 mm |
| ra max. | 1.5 mm |
| rb max. | 4 mm |
| Basic dynamic load rating C | 20400 kN |
| Basic static load rating C0 | 34000 kN |

| | |
|--|-----------------------|
| Specific dynamic load factor K | 300 N/mm ² |
| Specific static load factor K ₀ | 500 N/mm ² |
| Mass plain bearing | 131 kg |